



X
KRUX


PALLAS
KRX0032

WWW.KRUX.TECH



2022.11.15

FAN INSTALLATION



OPEN THE THE FRONT PANEL, THE LEFT AND RIGHT COVER




FANS INSTALLATION ON THE FRONT PANEL




FAN INSTALLATION ON THE REAR



OPTIONAL FANS INSTALLATION ON THE TOP




PUT 2x120MM FANS IN FAN LOCATION




FIX FANS WITH SCREWS

OPTIONAL FANS INSTALLATION ON THE PSU COVER




PUT 2x120MM FANS ON THE PSU COVER




FIX FANS WITH SCREWS

2.5" SSD INSTALLATION




PUT SSD TO THE LOCATION
[MAXIMUM 2 x SSD]



FIX SSD WITH SCREWS
FROM BACK SIDE

3.5" HDD INSTALLATION [THERE ARE TWO HDD BRACKETS]



CAN FIT IN 2 x HDD
WITH SCREWS



REMOVE SCREWS
AND VIBRATION DAMPER




FIX THE VIBRATION DAMPERS
TO THE SCREWS



FIX THE SCREW TO THE LEFT
SIDE OF THE 3.5" HDD



PUSH 3.5" HDD INTO BRACKET



FIX HDD WITH SCREWS
FROM BOTH SIDE

2.5" SSD OR 3.5" HDD INSTALLATION [SSD×1 OR HDD×1]



PUT 2.5" SSD OR 3.5" HDD
TO THE LOCATION



FIX 2.5" SSD OR 3.5" HDD
WITH SCREWS FROM PLATE BOTTOM

POWER SUPPLY INSTALLATION



PUT THE POWER SUPPLY
TO THE PSU LOCATION



FIX IT WITH SCREWS
FROM THE BACK

ATX AND M-ATX INSTALLATION



REMOVE COPPER CYLINDERS



FIX COPPER CYLINDERS TO
THE LOWER LOCATION,
FIX THE MOTHERBOARD

MOTHERBOARD INSTALLATION




MOTHERBOARD LOCATION



FIT I/O SEAL INTO I/O SLOT



PUT MOTHERBOARD
TO THE LOCATION



FIX IT WITH SCREWS

GPU INSTALLATION



GPU LOCATION



REMOVE PCI




PUT GPU TO THE LOCATION




FIX IT WITH SCREWS

USB CONNECTION



PLUG IN USB 2.0 CONNECTOR
TO THE MOTHERBOARD




PLUG IN USB 3.0 CONNECTOR
TO THE MOTHERBOARD



USB 2.0 AND USB 3.0
PORT ON THE TOP

CABLE CONNECTION



PLUG IN HD AUDIO CONNECTOR
TO THE MOTHERBOARD



PLUG IN THE H.D.O.LED
CONNECTOR TO THE PIN ON
THE MOTHERBOARD AS MARKED




PLUG IN THE POWER LED
CONNECTOR TO THE PIN ON
THE MOTHERBOARD AS MARKED



PLUG IN THE RESET SW
CONNECTOR TO THE PIN ON
THE MOTHERBOARD AS MARKED



PLUG IN THE POWER SW
CONNECTOR TO THE PIN ON
THE MOTHERBOARD AS MARKED



"+" CONNECT TO "+"
"-" CONNECT TO "-"

ENTYTY RESPONSIWY /
PODMIOT ODPOWIEDZIALNY
COOLING S/P Z O.O.
UL. SCHOKOWSKA 24
05-806 SIERAKÓW, POLSKA
TEL: +48 22 252 01 80
800: 000020025



MADE IN CHINA

WWW.KRUX.TECH